

Garrett County, Maryland
Table J1b.--Physical Properties of the Soils

Print date: 08/16/2002

(Entries under "Erosion factors--T" apply to the entire profile. Entries under "Wind erodibility group" and "Wind erodibility index" apply only to the surface layer. Absence of an entry indicates that data were not estimated.)

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
AbB:														
Albrights-----	0-8	---	---	15-27	1.20-1.40	0.6-2	0.16-0.20	0.0-2.9	1.0-4.0	.32	.43	4	---	48
	8-21	---	---	18-35	1.30-1.50	0.6-2	0.10-0.14	0.0-2.9	---	.28	.37			
	21-60	---	---	18-35	1.40-1.70	0.2-0.6	0.04-0.08	0.0-2.9	---	.28	.37			
AbC2:														
Albrights-----	0-8	---	---	15-27	1.20-1.40	0.6-2	0.16-0.20	0.0-2.9	1.0-4.0	.32	.43	4	---	48
	8-21	---	---	18-35	1.30-1.50	0.6-2	0.10-0.14	0.0-2.9	---	.28	.37			
	21-60	---	---	18-35	1.40-1.70	0.2-0.6	0.04-0.08	0.0-2.9	---	.28	.37			
AgC:														
Albrights-----	0-8	---	---	15-27	1.20-1.40	0.6-2	0.14-0.18	0.0-2.9	---	.24	.43	4	---	0
	8-21	---	---	18-35	1.30-1.50	0.6-2	0.10-0.14	0.0-2.9	---	.28	.37			
	21-60	---	---	18-35	1.40-1.70	0.2-0.6	0.04-0.08	0.0-2.9	---	.28	.37			
AhB:														
Allegheny-----	0-9	---	---	10-20	1.20-1.40	2-6	0.12-0.16	0.0-2.9	1.0-4.0	.28	.28	5	---	86
	9-40	---	---	18-35	1.20-1.50	0.6-2	0.13-0.18	0.0-2.9	---	.28	.28			
	40-65	---	---	10-35	1.20-1.40	0.6-2	0.08-0.17	0.0-2.9	---	.28	.28			
An:														
Alluvial Land-----	0-6	---	---	10-20	1.00-1.40	0.6-2	0.12-0.17	0.0-2.9	1.0-3.0	.37	.37	5	---	56
	6-42	---	---	5-20	1.00-1.45	0.6-6	0.06-0.12	0.0-2.9	---	.37	.43			
	42-60	---	---	18-35	1.20-1.40	0.6-2	0.08-0.14	0.0-2.9	---	.32	.32			
Ao:														
Alluvial Land-----	0-6	---	---	10-20	1.00-1.40	0.6-2	0.12-0.17	0.0-2.9	1.0-3.0	.37	.37	5	---	56
	6-42	---	---	5-20	1.00-1.45	0.6-6	0.06-0.12	0.0-2.9	---	.37	.43			
	42-60	---	---	18-35	1.20-1.40	0.6-2	0.08-0.14	0.0-2.9	---	.32	.32			
Ar:														
Armagh-----	0-10	---	---	15-32	1.20-1.40	0.6-2	0.18-0.22	0.0-2.9	1.0-4.0	.24	.24	4	---	56
	10-41	---	---	35-55	1.30-1.60	0.06-0.2	0.10-0.14	3.0-5.9	---	.24	.24			
	41-60	---	---	15-55	1.20-1.60	0.06-0.6	0.08-0.12	3.0-5.9	---	.24	.32			
At:														
Atkins-----	0-10	---	---	18-30	1.20-1.40	0.6-2	0.14-0.22	0.0-2.9	2.0-4.0	.32	.32	5	---	---
	10-34	---	---	18-35	1.20-1.50	0.06-2	0.14-0.18	0.0-2.9	---	.32	.32			
	34-60	---	---	10-35	1.20-1.50	0.2-6	0.08-0.18	0.0-2.9	---	.28	.32			

Table J1b.--Physical Properties of the Soils--Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
BrA: Andover-----	0-7	---	---	10-27	1.20-1.40	0.6-2	0.10-0.20	0.0-2.9	1.0-4.0	.28	.28	3	---	56
	7-18	---	---	18-35	1.20-1.40	0.6-2	0.08-0.12	0.0-2.9	---	.17	.20			
	18-48	---	---	18-35	1.30-1.60	0.06-0.2	0.06-0.10	0.0-2.9	---	.17	.20			
	48-60	---	---	18-40	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.17	.20			
Brinkerton-----	0-8	---	---	15-30	1.20-1.40	0.6-2	0.18-0.24	0.0-2.9	1.0-4.0	.32	.32	4	---	56
	8-21	---	---	15-35	1.20-1.50	0.6-2	0.14-0.18	3.0-5.9	---	.37	.37			
	21-42	---	---	15-35	1.40-1.70	0.06-0.2	0.08-0.12	3.0-5.9	---	.32	.37			
	42-60	---	---	15-25	1.20-1.55	0.06-0.6	0.14-0.18	0.0-2.9	---	.20	.28			
BrB: Andover-----	0-7	---	---	10-27	1.20-1.40	0.6-2	0.10-0.20	0.0-2.9	1.0-4.0	.28	.28	3	---	56
	7-18	---	---	18-35	1.20-1.40	0.6-2	0.08-0.12	0.0-2.9	---	.17	.20			
	18-48	---	---	18-35	1.30-1.60	0.06-0.2	0.06-0.10	0.0-2.9	---	.17	.20			
	48-60	---	---	18-40	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.17	.20			
Brinkerton-----	0-8	---	---	15-30	1.20-1.40	0.6-2	0.18-0.24	0.0-2.9	1.0-4.0	.32	.32	4	---	56
	8-21	---	---	15-35	1.20-1.50	0.6-2	0.14-0.18	3.0-5.9	---	.37	.37			
	21-42	---	---	15-35	1.40-1.70	0.06-0.2	0.08-0.12	3.0-5.9	---	.32	.37			
	42-60	---	---	15-25	1.20-1.55	0.06-0.6	0.14-0.18	0.0-2.9	---	.20	.28			
BsC: Andover-----	0-7	---	---	10-27	1.20-1.40	0.6-2	0.08-0.20	0.0-2.9	1.0-4.0	.17	.28	3	---	0
	7-18	---	---	18-35	1.20-1.40	0.6-2	0.08-0.12	0.0-2.9	---	.17	.20			
	18-48	---	---	18-35	1.30-1.60	0.06-0.2	0.06-0.10	0.0-2.9	---	.17	.20			
	48-60	---	---	18-40	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.17	.20			
Brinkerton-----	0-8	---	---	15-35	1.20-1.40	0.6-2	0.18-0.24	0.0-2.9	---	.24	.32	4	---	0
	8-21	---	---	15-35	1.20-1.50	0.6-2	0.14-0.18	3.0-5.9	---	.37	.37			
	21-42	---	---	15-35	1.40-1.70	0.06-0.2	0.08-0.12	3.0-5.9	---	.32	.37			
	42-60	---	---	15-25	1.20-1.55	0.06-0.6	0.14-0.18	0.0-2.9	---	.20	.28			
CaC2: Calvin-----	0-8	---	---	10-25	1.20-1.40	2-6	0.10-0.16	0.0-2.9	0.5-2.0	.20	.24	3	---	48
	8-27	---	---	15-30	1.40-1.60	2-6	0.08-0.16	0.0-2.9	---	.20	.24			
	27-34	---	---	15-30	1.40-1.60	2-6	0.06-0.10	0.0-2.9	---	.20	.28			
	34-38	---	---	---	---	---	0.00-0.00	---	---	---	---			
Gilpin-----	0-8	---	---	15-27	1.20-1.40	0.6-2	0.12-0.16	0.0-2.9	0.5-4.0	.24	.32	3	---	48
	8-24	---	---	18-35	1.20-1.50	0.6-2	0.12-0.16	0.0-2.9	---	.24	.28			
	24-30	---	---	15-35	1.20-1.50	0.6-2	0.08-0.12	0.0-2.9	---	.24	.32			
	30-34	---	---	---	---	---	---	---	---	---	---			

Table J1b.--Physical Properties of the Soils--Continued

[illegible]

[illegible]

Table J1b.--Physical Properties of the Soils--Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
Ernest-----	0-7	---	---	15-20	1.20-1.40	0.6-2	0.12-0.18	0.0-2.9	---	.32	.43	4	---	---
	7-27	---	---	20-35	1.30-1.50	0.6-2	0.12-0.16	3.0-5.9	---	.32	.32			
	27-47	---	---	18-30	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.32	.37			
	47-60	---	---	20-35	1.30-1.60	0.06-0.6	0.08-0.12	3.0-5.9	---	.32	.37			
CuD:														
Cookport-----	0-12	---	---	10-27	1.20-1.40	0.6-2	0.12-0.16	0.0-2.9	---	.24	.32	3	---	---
	12-20	---	---	18-35	1.20-1.50	0.6-2	0.12-0.16	0.0-2.9	---	.24	.28			
	20-38	---	---	18-35	1.40-1.70	0.06-0.2	0.08-0.12	0.0-2.9	---	.24	.28			
	38-42	---	---	10-27	1.20-1.50	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.28			
	42-46	---	---	---	---	---	---	---	---	---	---			
Ernest-----	0-7	---	---	15-20	1.20-1.40	0.6-2	0.12-0.18	0.0-2.9	---	.32	.43	4	---	---
	7-27	---	---	20-35	1.30-1.50	0.6-2	0.12-0.16	3.0-5.9	---	.32	.32			
	27-47	---	---	18-30	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.32	.37			
	47-60	---	---	20-35	1.30-1.60	0.06-0.6	0.08-0.12	3.0-5.9	---	.32	.37			
Cv:														
Cut And Fill Land---	0-6	---	---	8-27	0.90-1.30	0.2-6	0.02-0.06	0.0-2.9	1.0-5.0	.17	.24	5	---	0
	6-60	---	---	6-50	1.00-1.60	0.06-20	0.01-0.08	0.0-2.9	---	.17	.28			
DbB:														
Dekalb-----	0-8	---	---	10-20	1.20-1.50	6-20	0.08-0.12	0.0-2.9	2.0-4.0	.17	.24	2	---	48
	8-29	---	---	7-18	1.20-1.50	6-20	0.06-0.12	0.0-2.9	---	.17	.24			
	29-34	---	---	5-15	1.20-1.50	6-20	0.05-0.10	0.0-2.9	---	.17	.24			
	34-38	---	---	---	---	---	---	---	---	---	---			
DbC2:														
Dekalb-----	0-8	---	---	10-20	1.20-1.50	6-20	0.08-0.12	0.0-2.9	2.0-4.0	.17	.24	2	---	48
	8-29	---	---	7-18	1.20-1.50	6-20	0.06-0.12	0.0-2.9	---	.17	.24			
	29-34	---	---	5-15	1.20-1.50	6-20	0.05-0.10	0.0-2.9	---	.17	.24			
	34-38	---	---	---	---	---	---	---	---	---	---			
DbD2:														
Dekalb-----	0-8	---	---	10-20	1.20-1.50	6-20	0.08-0.12	0.0-2.9	2.0-4.0	.17	.24	2	---	48
	8-29	---	---	7-18	1.20-1.50	6-20	0.06-0.12	0.0-2.9	---	.17	.24			
	29-34	---	---	5-15	1.20-1.50	6-20	0.05-0.10	0.0-2.9	---	.17	.24			
	34-38	---	---	---	---	---	---	---	---	---	---			
DcC:														
Calvin-----	0-8	---	---	10-25	1.20-1.40	2-6	0.10-0.18	0.0-2.9	---	.15	.24	3	---	0
	8-27	---	---	15-30	1.40-1.60	2-6	0.08-0.16	0.0-2.9	---	.20	.24			
	27-34	---	---	15-30	1.40-1.60	2-6	0.06-0.10	0.0-2.9	---	.20	.28			
	34-38	---	---	---	---	---	0.00-0.00	---	---	---	---			

Table J1b.--Physical Properties of the Soils--Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
D1C: Dekalb-----	0-8	---	---	10-20	1.20-1.50	2-20	0.08-0.12	0.0-2.9	---	.17	.24	2	---	0
	8-29	---	---	7-18	1.20-1.50	2-20	0.06-0.12	0.0-2.9	---	.17	.24			
	29-34	---	---	5-15	1.20-1.50	6-20	0.05-0.10	0.0-2.9	---	.17	.24			
	34-38	---	---	---	---	---	---	---	---	---	---			
Leetonia-----	0-7	---	---	3-10	1.10-1.30	2-6	0.03-0.05	0.0-2.9	---	.17	.24	3	---	0
	7-20	---	---	3-15	1.10-1.30	2-6	0.03-0.05	0.0-2.9	---	.17	.24			
	20-45	---	---	3-15	1.10-1.30	2-6	0.02-0.04	0.0-2.9	---	.17	.28			
	45-49	---	---	---	---	---	---	---	---	---	---			
D1D: Dekalb-----	0-8	---	---	10-20	1.20-1.50	2-20	0.08-0.12	0.0-2.9	---	.17	.24	2	---	0
	8-29	---	---	7-18	1.20-1.50	2-20	0.06-0.12	0.0-2.9	---	.17	.24			
	29-34	---	---	5-15	1.20-1.50	6-20	0.05-0.10	0.0-2.9	---	.17	.24			
	34-38	---	---	---	---	---	---	---	---	---	---			
Leetonia-----	0-7	---	---	3-10	1.10-1.30	2-6	0.03-0.05	0.0-2.9	---	.17	.24	3	---	0
	7-20	---	---	3-15	1.10-1.30	2-6	0.03-0.05	0.0-2.9	---	.17	.24			
	20-45	---	---	3-15	1.10-1.30	2-6	0.02-0.04	0.0-2.9	---	.17	.28			
	45-49	---	---	---	---	---	---	---	---	---	---			
Ek: Elkins-----	0-8	---	---	18-30	1.20-1.50	0.6-2	0.18-0.24	0.0-2.9	1.0-5.0	.37	.37	5	---	---
	8-36	---	---	18-35	1.30-1.60	0.06-0.2	0.12-0.16	3.0-5.9	---	.37	.37			
	36-65	---	---	7-27	1.30-1.60	0.2-2	0.10-0.14	0.0-2.9	---	.32	.32			
ErA: Ernest-----	0-7	---	---	15-20	1.20-1.40	0.6-2	0.14-0.20	0.0-2.9	2.0-4.0	.43	.43	4	---	---
	7-27	---	---	20-35	1.30-1.50	0.6-2	0.12-0.16	3.0-5.9	---	.32	.32			
	27-47	---	---	18-30	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.32	.37			
	47-60	---	---	20-35	1.30-1.60	0.06-0.6	0.08-0.12	3.0-5.9	---	.32	.37			
ErB: Ernest-----	0-7	---	---	15-20	1.20-1.40	0.6-2	0.14-0.20	0.0-2.9	2.0-4.0	.43	.43	4	---	---
	7-27	---	---	20-35	1.30-1.50	0.6-2	0.12-0.16	3.0-5.9	---	.32	.32			
	27-47	---	---	18-30	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.32	.37			
	47-60	---	---	20-35	1.30-1.60	0.06-0.6	0.08-0.12	3.0-5.9	---	.32	.37			
ErC2: Ernest-----	0-7	---	---	15-20	1.20-1.40	0.6-2	0.14-0.20	0.0-2.9	2.0-4.0	.43	.43	4	---	---
	7-27	---	---	20-35	1.30-1.50	0.6-2	0.12-0.16	3.0-5.9	---	.32	.32			
	27-47	---	---	18-30	1.40-1.70	0.06-0.6	0.08-0.12	0.0-2.9	---	.32	.37			
	47-60	---	---	20-35	1.30-1.60	0.06-0.6	0.08-0.12	3.0-5.9	---	.32	.37			

Table J1b.--Physical Properties of the Soils--Continued

[illegible]

Table J1b.--Physical Properties of the Soils--Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
Ls: Lickdale-----	0-10	---	---	7-22	1.20-1.40	0.6-6	0.18-0.22	0.0-2.9	---	.32	.37	3	---	56
	10-32	---	---	18-35	1.20-1.50	0.06-0.2	0.12-0.18	3.0-5.9	---	.43	.43			
	32-46	---	---	18-27	1.20-1.50	0.2-0.6	0.08-0.15	0.0-2.9	---	.43	.49			
	46-50	---	---	---	---	---	---	---	---	---	---			
McB: Meckesville-----	0-7	---	---	10-27	1.10-1.30	0.6-2	0.14-0.18	0.0-2.9	1.0-4.0	.32	.32	4	---	56
	7-31	---	---	18-35	1.20-1.40	0.6-2	0.12-0.16	0.0-2.9	---	.24	.28			
	31-70	---	---	18-35	1.30-1.60	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.28			
	70-96	---	---	10-35	1.20-1.40	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.32			
McC2: Meckesville-----	0-7	---	---	10-27	1.10-1.30	0.6-2	0.14-0.18	0.0-2.9	1.0-4.0	.32	.32	4	---	56
	7-31	---	---	18-35	1.20-1.40	0.6-2	0.12-0.16	0.0-2.9	---	.24	.28			
	31-70	---	---	18-35	1.30-1.60	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.28			
	70-96	---	---	10-35	1.20-1.40	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.32			
MdB: Meckesville-----	0-7	---	---	10-27	1.10-1.30	0.6-2	0.12-0.16	0.0-2.9	1.0-4.0	.24	.32	4	---	0
	7-31	---	---	18-35	1.20-1.40	0.6-2	0.10-0.14	0.0-2.9	---	.24	.28			
	31-70	---	---	18-35	1.30-1.60	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.28			
	70-96	---	---	10-35	1.20-1.40	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.32			
MdD: Meckesville-----	0-7	---	---	10-27	1.10-1.30	0.6-2	0.12-0.16	0.0-2.9	1.0-4.0	.24	.32	4	---	0
	7-31	---	---	18-35	1.20-1.40	0.6-2	0.10-0.14	0.0-2.9	---	.24	.28			
	31-70	---	---	18-35	1.30-1.60	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.28			
	70-96	---	---	10-35	1.20-1.40	0.2-0.6	0.08-0.12	0.0-2.9	---	.24	.32			
NoB: Nolo-----	0-8	---	---	10-20	1.20-1.40	0.6-2	0.16-0.20	0.0-2.9	1.0-3.0	.32	.32	3	---	56
	8-18	---	---	18-35	1.30-1.40	0.6-2	0.12-0.16	0.0-2.9	---	.32	.32			
	18-46	---	---	18-35	1.30-1.60	0.06-0.2	0.06-0.10	0.0-2.9	---	.17	.20			
	46-50	---	---	---	---	---	---	---	---	---	---			
Pe: Peat-----	0-60	---	---	---	0.10-0.25	0.2-6	0.30-0.45	---	---	.02	---	2	---	38
Ph: Philo-----	0-6	---	---	10-18	1.20-1.40	0.6-2	0.14-0.20	0.0-2.9	2.0-4.0	.37	.37	3	---	---
	6-42	---	---	10-18	1.20-1.40	0.6-2	0.10-0.20	0.0-2.9	---	.32	.32			
	42-60	---	---	5-18	1.20-1.40	2-6	0.06-0.10	0.0-2.9	---	.24	.28			

[illegible]

[illegible]

